

ARTICLE	HOUSELINER FL 2.5 mm	DN 30-50	DN 40-60	DN 45-70	DN 50-70	DN 63-75	DN 70-100	DN 90-125	DN 100-150	DN 110-160		
RESIN CONSUMPTION ULTRA, FAST, MEDIUM, SLOW & HOT CURE PER LINER METER:		0.26 kg	0.35 kg	0.40 kg	0.40 kg	0.55 kg	0.61 kg	0.77 kg	0.83 kg	0.92 kg		
RESIN CONSUMPTION UVLCR, MA+ & MA-HR PER LINER METER:		0.28 kg	0.37 kg	0.43 kg	0.43 kg	0.58 kg	0.65 kg	0.82 kg	0.88 kg	0.99 kg		
ROLLER DISTANCE OF THE IMPREGNATION PLANT:		5.5 mm	5.5 mm	5.5 mm	5.5 mm	5.5 mm	5.5 mm	5.5 mm	5.5 mm	5.5 mm		
ARTICLE	HOUSELINER FL 3 mm	DN 30-50	DN 45-70	DN 50-70	DN 60-75	DN 63-75	DN 63-100	DN 70-100	DN 90-125	DN 100-120	DN 100-150	
RESIN CONSUMPTION ULTRA, FAST, MEDIUM, SLOW & HOT CURE PER LINER METER:		0.29 kg	0.48 kg	0.47 kg	0.55 kg	0.57 kg	0.61 kg	0.70 kg	0.91 kg	1.01 kg	1.01 kg	
RESIN CONSUMPTION UVLCR, MA+ & MA-HR PER LINER METER:		0.31 kg	0.52 kg	0.50 kg	0.58 kg	0.60 kg	0.65 kg	0.75 kg	0.97 kg	1.08 kg	1.08 kg	
ROLLER DISTANCE OF THE IMPREGNATION PLANT:		6.5 mm	6.5 mm	6.5 mm	6.5 mm	6.5 mm	6.5 mm	6.5 mm	6.5 mm	6.5 mm	6.5 mm	
ARTICLE	HOUSELINER FL 4 mm					DN 63-100	DN 70-100	DN 80-110	DN 90-125	DN 100-150	DN 120-150	DN 150-225
RESIN CONSUMPTION ULTRA, FAST, MEDIUM, SLOW & HOT CURE PER LINER METER:						0.83 kg	0.92 kg	1.09 kg	1.16 kg	1.31 kg	1.53 kg	2.02 kg
RESIN CONSUMPTION UVLCR, MA+ & MA-HR PER LINER METER:						0.88 kg	0.99 kg	1.16 kg	1.23 kg	1.40 kg	1.64 kg	2.15 kg
ROLLER DISTANCE OF THE IMPREGNATION PLANT:						8.5 mm	8.5 mm	8.5 mm	8.5 mm	8.5 mm	8.5 mm	8.5 mm
ARTICLE	HOUSELINER FL 5 mm							DN 150-225	DN 200-250	DN 225-300	DN 250-300	DN 300-400
RESIN CONSUMPTION ULTRA, FAST, MEDIUM, SLOW & HOT CURE PER LINER METER:								2.02 kg	3.23 kg	3.85 kg	4.28 kg	5.02 kg
RESIN CONSUMPTION UVLCR, MA+ & MA-HR PER LINER METER:								2.15 kg	3.45 kg	4.11 kg	4.57 kg	5.35 kg
ROLLER DISTANCE OF THE IMPREGNATION PLANT:								10.5 mm	10.5 mm	10.5 mm	10.5 mm	10.5 mm
ARTICLE	HOUSELINER FIX 3 mm							DN 75	DN 100	DN 150		
RESIN CONSUMPTION ULTRA, FAST, MEDIUM, SLOW & HOT CURE PER LINER METER:								0.66 kg	0.83 kg	1.31 kg		
RESIN CONSUMPTION UVLCR, MA+ & MA-HR PER LINER METER:								0.71 kg	0.88 kg	1.40 kg		
ROLLER DISTANCE OF THE IMPREGNATION PLANT:								6.5 mm	6.5 mm	6.5 mm		
ARTICLE	HOUSELINER FIX 4 mm								DN 100	DN 150	DN 225	
RESIN CONSUMPTION ULTRA, FAST, MEDIUM, SLOW & HOT CURE PER LINER METER:									1.37 kg	1.92 kg	2.93 kg	
RESIN CONSUMPTION UVLCR, MA+ & MA-HR PER LINER METER:									1.46 kg	2.05 kg	3.12 kg	
ROLLER DISTANCE OF THE IMPREGNATION PLANT:									8.5 mm	8.5 mm	8.5 mm	
ARTICLE	HOUSELINER FIX 5 mm									DN 150	DN 225	
RESIN CONSUMPTION ULTRA, FAST, MEDIUM, SLOW & HOT CURE PER LINER METER:										2.48 kg	3.59 kg	
RESIN CONSUMPTION UVLCR, MA+ & MA-HR PER LINER METER:										2.64 kg	3.83 kg	
ROLLER DISTANCE OF THE IMPREGNATION PLANT:										10.5 mm	10.5 mm	
ARTICLE	HOUSELINER FLT					DN 50-70	DN 60-90	DN 70-100	DN 90-125	DN 100-150		
RESIN CONSUMPTION ULTRA, FAST, MEDIUM, SLOW & HOT CURE PER LINER METER:						0.42 kg	0.50 kg	0.61 kg	0.78 kg	0.81 kg		
RESIN CONSUMPTION UVLCR, MA+ & MA-HR PER LINER METER:						0.45 kg	0.54 kg	0.65 kg	0.83 kg	0.86 kg		
ROLLER DISTANCE OF THE IMPREGNATION PLANT:						7 mm	7 mm	7 mm	7 mm	7 mm		



ARTICLE	HOUSELINER FLF WO	DN 50-70	DN 70-100	DN 100-150	DN 150-225
RESIN CONSUMPTION ULTRA, FAST, MEDIUM, SLOW & HOT CURE PER LINER METER:		0.32 kg	0.74 kg	1.16 kg	2.31 kg
RESIN CONSUMPTION UVLCR, MA+ & MA-HR PER LINER METER:		0.34 kg	0.78 kg	1.23 kg	2.46 kg
ROLLER DISTANCE OF THE IMPREGNATION PLANT:		7 mm	10 mm	11 mm	12 mm