


HOUSELINER® Resin consumption and roller distance for Houseliner Resin and Liner

Date: 2020-12-09 US Edition

Article	HOUSELINER FL 2,5 mm	DN 30-50	DN 40-60	DN 45-70	DN 50-70	DN 63-75	DN 70-100	DN 100-150	DN 110-160	
Resin consumption Houseliner Fast, Medium & Slow per linear feet (pound):		0,182	0,235	0,269	0,269	0,37	0,417	0,572	0,625	
Resin consumption Houseliner Hot Cure per linear feet (pound):		0,175	0,235	0,262	0,262	0,37	0,41	0,565	0,619	
Resin consumption all resins in Gallon per linear feet:		0,021	0,027	0,03	0,03	0,042	0,047	0,065	0,071	
Roller distance of the impregnation plant:		5,5 mm / 0,2165 inch								
Article	HOUSELINER FL 3 mm	DN 30-50	DN 45-70	DN 50-70	DN 60-75	DN 63-75	DN 63-100	DN 70-100	DN 100-120	DN 100-150
Resin consumption Houseliner Fast, Medium & Slow per linear feet (pound):		0,202	0,33	0,33	0,37	0,383	0,417	0,477	0,686	0,686
Resin consumption Houseliner Hot Cure per linear feet (pound):		0,202	0,323	0,323	0,363	0,383	0,41	0,47	0,679	0,679
Resin consumption all resins in Gallon per linear feet:		0,023	0,037	0,037	0,042	0,044	0,047	0,054	0,077	0,077
Roller distance of the impregnation plant:		6,5 mm / 0,2559 inch								
Article	HOUSELINER FL 4 mm				DN 63-100	DN 70-100	DN 80-110	DN 100-150	DN 120-150	DN 150-225
Resin consumption Houseliner Fast, Medium & Slow per linear feet (pound):					0,565	0,625	0,74	0,894	1,05	1,37
Resin consumption Houseliner Hot Cure per linear feet (pound):					0,558	0,619	0,733	0,881	1,03	1,35
Resin consumption all resins in Gallon per linear feet:					0,064	0,071	0,084	0,1	0,118	0,155
Roller distance of the impregnation plant:		8,5 mm / 0,3346 inch								
Article	HOUSELINER FL 5 mm					DN 150-225	DN 200-250	DN 225-300		
Resin consumption Houseliner Fast, Medium & Slow per linear feet (pound):						1,74	2,264	2,55		
Resin consumption Houseliner Hot Cure per linear feet (pound):						1,72	2,238	2,52		
Resin consumption all resins in Gallon per linear feet:						0,197	0,256	0,287		
Roller distance of the impregnation plant:		10,5 mm / 0,4134 inch								
Article	HOUSELINER FIX 3 mm				DN 75	DN 100	DN 150			
Resin consumption Houseliner Fast, Medium & Slow per linear feet (pound):					0,444	0,565	0,894			
Resin consumption Houseliner Hot Cure per linear feet (pound):					0,442	0,558	0,88			
Resin consumption all resins in Gallon per linear feet:					0,051	0,064	0,101			
Roller distance of the impregnation plant:		6,5 mm / 0,2559 inch								
Article	HOUSELINER FLT				DN 50-70	DN 70-100	DN 100-150			
Resin consumption Houseliner Fast, Medium & Slow per linear feet (pound):					0,282	0,406	0,537			
Resin consumption Houseliner Hot Cure per linear feet (pound):					0,275	0,4	0,53			
Resin consumption all resins in Gallon per linear feet:					0,032	0,046	0,061			
Roller distance of the impregnation plant:		7mm / 0,2756 inch								