


HOUSELINER® Resin consumption and roller distance for Houseliner Fast, Medium, Slow and Hot Cure

Date: 2020-09-01 Metric

Article	BRAWOLINER® + HT	DN 70	DN 100	DN 125	DN 150	DN 200/250
Resin consumption Houseliner Fast, Medium & Slow per linear meter:		0,77 kg	1,17 kg	1,35 kg	1,64 kg	2,22 kg
Resin consumption Houseliner Hot Cure per linear meter:		0,77 kg	1,16 kg	1,34 kg	1,63 kg	2,20 kg
Resin consumption all resins in Litre per linear meter:		0,73 l	1,1 l	1,27 l	1,55 l	2,09 l
Roller distance of the impregnation plant:				8,5 mm		
Article	BRAWOLINER® XT + HT	DN 100	DN 125	DN 150	DN 200/250	
Resin consumption Houseliner Fast, Medium & Slow per linear meter:		1,80 kg	2,12 kg	2,44 kg	3,29 kg	
Resin consumption Houseliner Hot Cure per linear meter:		1,79 kg	2,10 kg	2,42 kg	3,26 kg	
Resin consumption all resins in Litre per linear meter:		1,7 l	2,0 l	2,3 l	3,1 l	
Roller distance of the impregnation plant:				11 mm		
Article	BRAWOLINER® 2D DN 70-100 + HT	DN 70 - 100				
Resin consumption Houseliner Fast, Medium & Slow per linear meter:		0,87 kg				
Resin consumption Houseliner Hot Cure per linear meter:		0,87 kg				
Resin consumption all resins in Litre per linear meter:		0,82 l				
Roller distance of the impregnation plant:		10 mm				
Article	BRAWOLINER® 3D DN 100-150 + HT	DN 100 - 150				
Resin consumption Houseliner Fast, Medium & Slow per linear meter:		1,44 kg				
Resin consumption Houseliner Hot Cure per linear meter:		1,43 kg				
Resin consumption all resins in Litre per linear meter:		1,36 l				
Roller distance of the impregnation plant:		12 mm				
Article	BRAWOLINER® 4D DN 150-225 + HT	DN 150 - 225				
Resin consumption Houseliner Fast, Medium & Slow per linear meter:		2,22 kg				
Resin consumption Houseliner Hot Cure per linear meter:		2,20 kg				
Resin consumption all resins in Litre per linear meter:		2,09 l				
Roller distance of the impregnation plant:		12 mm				
Article	BRAWOLINER® 3D DN 300-400	DN 300 - 400				
Resin consumption Houseliner Fast, Medium & Slow per linear meter:		6,26 kg				
Resin consumption Houseliner Hot Cure per linear meter:		6,21 kg				
Resin consumption all resins in Litre per linear meter:		5,91 l				
Roller distance of the impregnation plant:		15,5 mm				
Article	BRAWOLINER® 50 Special + HT	DN 50 - 70				
Resin consumption Houseliner Fast, Medium & Slow per linear meter:		0,49 kg				
Resin consumption Houseliner Hot Cure per linear meter:		0,49 kg				
Resin consumption all resins in Litre per linear meter:		0,46 l				
Roller distance of the impregnation plant:		7 mm				