



Printing date 01.04.2020 Version number 4 Revision: 01.04.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name BRAWO-HT (Komponente A)

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Epoxy sealing

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: KOB GmbH

BRAWOLINER - Sanierungssysteme

Lauterstraße 50 D-67752 Wolfstein

Germany

Tel: +49(0)631-205 61 100 Fax: +49(0)631-205 61 101

Informing department: Technische Abteilung

msds@brawoliner.de

· 1.4 Emergency telephone

**number:** +49 (0) 61 31 - 19 240 (Giftnotruf Mainz)

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 3 H331 Toxic if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to Regulation (EC) No


1272/2008

The product is classified and labelled according to the CLP

regulation.

· Hazard pictograms





· Signal word Danger

· Hazard-determining

components of labelling: Propyl -2, 2-diphenyl-4, 4'dipropyloxirane polymers and

homologues molecular weight < 700

2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane

polymers and homologues, molecular weight < 700

1,6-hexene-diglycidylether 4-morpholinecarbaldehyde

(Contd. on page 2)





Printing date 01.04.2020 Version number 4 Revision: 01.04.2020

#### Trade name BRAWO-HT (Komponente A)

(Contd. of page 1)

· **Hazard statements** H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/

sprav

P280 Wear protective gloves / eye protection / face

protection.

P304+P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

• Additional information: Contains epoxy constituents. May produce an allergic reaction.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture consisting of the following components.

· Dangerous components:				
CAS: 25068-38-6 NLP: 500-033-5	Propyl -2,2-diphenyl-4,4'dipropyloxirane polymers and homologues molecular weight < 700	25-50%		
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317			
CAS: 9003-36-5 NLP: 500-006-8	2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700	≥10-<25%		
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317			
CAS: 16096-31-4	1,6-hexene-diglycidylether	≥2.5-<10%		
EINECS: 240-260-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412			
CAS: 4394-85-8	4-morpholinecarbaldehyde	≥0.1-<0.5%		
EINECS: 224-518-3	Skin Sens. 1, H317			

• Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

• After inhalation Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position

for transport.

(Contd. on page 3)





Printing date 01.04.2020 Version number 4 Revision: 01.04.2020

#### Trade name BRAWO-HT (Komponente A)

(Contd. of page 2)

· After skin contact Instantly wash with water and soap and rinse thoroughly.

· After eye contact Seek medical treatment.

Rinse opened eye for several minutes under running water. If

symptoms persist, consult doctor.

· After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· 4.2 Most important

symptoms and effects, both

acute and delayed No further relevant information available.

· 4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing

agents Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or

mixture

No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and

**emergency procedures** Not required.

· 6.2 Environmental

precautions: Inform respective authorities in case product reaches water or

sewage system.

· 6.3 Methods and material for

containment and cleaning

up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

handling Store in cool, dry place in tightly closed containers.

Open and handle container with care.

· Information about protection

against explosions and fires: No special measures required.

(Contd. on page 4)





Printing date 01.04.2020 Version number 4 Revision: 01.04.2020

#### Trade name BRAWO-HT (Komponente A)

(Contd. of page 3)

· 7.2 Conditions for safe storage, including any incompatibilities

·Storage

· Requirements to be met by

storerooms and containers: No special requirements.

Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· 8.1 Control parameters

Components with critical

values that require

·DNFLs

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

2000-		ropyl -2,2-diphenyl-4,4'dipropyloxirane polymers and homologues mole eight < 700	ecu
Oral	DNI	EL 0.75 mg/kg bw/Tag (General) (Kurzfristig und Langfristig Systemisch)	
Derma	I DNI	EL 3.6 mg/kg bw/day (General) (Kurzfristig und Langfristig Systemisch)	
		8.3 mg/kg bw/day (Workers) (Kurzfristig und Langfristig Systemisch)	
Inhalati	ive DNI	EL 0.75 mg/m³ (General) (Kurzfristig und Langfristig Systemisch)	
		12.3 mg/m³ (Workers) (Kurzfristig und Langfristig Systemisch)	
16096-	31-4 1,0	6-hexene-diglycidylether	
Derma	I DNI	EL 2.8 mg/kg bw/day (ArL)	
Inhalati	ive DNI	EL 4.9 mg/m³ (ArL)	
<b>PNEC</b> s	S		
	38-6 Pr	ropyl -2,2-diphenyl-4,4'dipropyloxirane polymers and homologues mole eight < 700	eci
25068-	.38-6 Pr w€		eci
25068-	<b>38-6 Pr</b> <b>w</b> ε 3 μg/l (	eight < 700	ecu
<b>25068-</b> PNEC	38-6 Pr wε 3 μg/l ( 0.3 μg/	eight < 700 (Fresh water)	ecu
<b>25068-</b> <i>PNEC PNEC</i>	38-6 Pr wε 3 μg/I ( 0.3 μg/ 10 mg/	eight < 700 (Fresh water) /I (Marine)	ecu
<b>25068-</b> <i>PNEC PNEC</i>	38-6 Pr we 3 μg/l ( 0.3 μg/ 10 mg/ 0.5 mg	eight < 700 (Fresh water) // (Marine) // (Sewage Treatment Plant)	ecu
<b>25068-</b> <i>PNEC PNEC</i>	38-6 Pr we 3 μg/l ( 0.3 μg/l 10 mg/l 0.5 mg/l 0.05 mg/l	eight < 700 (Fresh water) /I (Marine) /I (Sewage Treatment Plant) n/kg dwt (Marine water sediment)	ecu
25068- PNEC PNEC PNEC	38-6 Pr we 3 μg/l ( 0.3 μg/l 10 mg/l 0.5 mg/l 0.05 mg/l 0.5 mg/l	eight < 700 (Fresh water) // (Marine) // (Sewage Treatment Plant) g/kg dwt (Marine water sediment) ng/kg dwt (Sediment)	ecu
25068- PNEC PNEC PNEC	38-6 Pr We 3 µg/l ( 0.3 µg/l 10 mg/l 0.5 mg/l 0.05 mg/l 0.5 mg/l 31-4 1,0	eight < 700 (Fresh water) (I (Marine) (I (Sewage Treatment Plant) (I)(kg dwt (Marine water sediment) (I)(kg dwt (Sediment) (I)(kg dwt (Fresh water sediment)	еси
25068- PNEC PNEC PNEC	38-6 Pr we 3 μg/l ( 0.3 μg/l 10 mg/l 0.5 mg 0.05 mg 0.5 mg 0.5 mg	eight < 700 (Fresh water) (I (Marine) (I (Sewage Treatment Plant) (I) (I) (I) (I) (I) (I) (I) (I) (I) (I	ecu





Printing date 01.04.2020 Version number 4 Revision: 01.04.2020

#### Trade name BRAWO-HT (Komponente A)

(Contd. of page 4)

0.0283 mg/kg dwt (Sediment)

0.283 mg/kg dwt (Fresh water sediment)

Additional information: The lists that were valid during the compilation were used as

basis.

· 8.2 Exposure controls

· Personal protective equipment

· General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of

manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to

the application.

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Tightly sealed safety glasses. Protective work clothing.

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Body protection:

· Appearance:

Form: Viscous
Colour: Green
Smell: Characteristic

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 200 °C

· Flash point: >100 °C · Ignition temperature: 184 °C

Self-inflammability: Product is not selfigniting.

Explosive properties: Product is not explosive.

· Steam pressure at 20 °C: 0.1 hPa

(Contd. on page 6)





Printing date 01.04.2020 Version number 4 Revision: 01.04.2020

#### Trade name BRAWO-HT (Komponente A)

(Contd. of page 5)

· Density at 20 °C 1.42 g/cm³

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

• 9.2 Other information No further relevant information available.

#### SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

**conditions to be avoided:** No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Toxic if inhaled.

· I D/I C50 valu	es that are relev	ant for classit	fication:

25068-38-6 Propyl -2,2-diphenyl-4,4'dipropyloxirane polymers and homologues molecular weight < 700

Oral LD50 30,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

16096-31-4 1,6-hexene-diglycidylether

Oral LD50 >8,500 mg/kg (rat)
Dermal LD50 >4,900 mg/kg (rat)

Primary irritant effect:

• Skin corrosion/irritation Causes skin irritation. • Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin

**sensitisation** May cause an allergic skin reaction.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

(Contd. on page 7)





Printing date 01.04.2020 Version number 4 Revision: 01.04.2020

Trade name BRAWO-HT (Komponente A)

(Contd. of page 6)

· Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700

LC50/96h >100 mg/l (Daphnia magna) EC50/96h >100 mg/l (Leucidus idus)

16096-31-4 1,6-hexene-diglycidylether

LC50/96h | 30 mg/l (Leucidus idus) EC50/48h | 47 mg/l (Daphnia magna)

12.2 Persistence and

**degradability** No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.

· Ecotoxical effects:

· Remark: Toxic for fish

· Additional ecological information:

• General notes: Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Do not allow product to reach ground water, water bodies or

sewage system.

Danger to drinking water if even small quantities leak into soil.

12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

European waste catalogue

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 01 00 wastes from MFSU and removal of paint and varnish

08 01 11 waste paint and varnish containing organic solvents or other dangerous substances

(Contd. on page 8)





Printing date 01.04.2020 Version number 4 Revision: 01.04.2020

Trade name BRAWO-HT (Komponente A)

(Contd. of page 7)

· Uncleaned packagings: · Recommendation:

**Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name ADR	3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (epoxio derivates)
IMDG	ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (epoxia derivates), MARINE POLLUTANT
IATA	ENVIRÓNMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (epoxio derivates)
14.3 Transport hazard class(es)	
ADR	
Class	<ol><li>9 (M6) Miscellaneous dangerous substances ar articles.</li></ol>
Label	9
IMDG, IATA	O Missallanasus d
Class	<ol> <li>9 Miscellaneous dangerous substances an articles.</li> </ol>
Label	9
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substance and articles.
Kemler Number:	90
EMS Number: Stowage Category	F-A,S-F A
14.7 Transport in bulk according to Anorth of Marpol and the IBC Code	<b>nex II</b> Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1  Maximum net quantity per inner packaging: 30 m





Printing date 01.04.2020 Version number 4 Revision: 01.04.2020

Trade name BRAWO-HT (Komponente A)

(Contd. of page 8)

	(Conta. or page 8
· Transport category · Tunnel restriction code	Maximum net quantity per outer packaging: 1000 ml 3 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXIDE DERIVATES), 9, III

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Qualifying quantity (tonnes) for the application of lower-

tier requirements · Qualifying quantity (tonnes)

for the application of upper-

tier requirements REGULATION (EC) No

1907/2006 ANNEX XVII

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

Conditions of restriction: 3

### **SECTION 16: Other information**

H315 Causes skin irritation. · Relevant phrases

> H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

· Department issuing data

specification sheet: Environment protection department.

50 t

200 t

· Contact: Mr. Hemming

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses

par chemin de fer (Regulations Concerning the International Transport of Dangerous

Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by

Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 10)





Printing date 01.04.2020 Version number 4 Revision: 01.04.2020

#### Trade name BRAWO-HT (Komponente A)

(Contd. of page 9)

GHS: Globally Harmonised System of Classification and Labelling of Chemical's EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - inhalation – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard

Category 3

\* Data compared to the previous version altered.

GE