



Printing date 01.04.2020 Version number 2 Revision: 01.04.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name BRAWO-HT (Komponente B)

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Epoxy sealing

Hardening agent/ Curing agent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: KOB GmbH

BRAWOLINER - Sanierungssysteme

Lauterstraße 50 D-67752 Wolfstein

Germany

Tel: +49(0)631-205 61 100 Fax: +49(0)631-205 61 101

· Informing department: Technische Abteilung

msds@brawoliner.de

· 1.4 Emergency telephone

**number:** +49 (0) 61 31 - 19 240 (Giftnotruf Mainz)

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No

1272/2008

The product is classified and labelled according to the CLP

regulation.

· Hazard pictograms





GHS05 GHS07

· **Signal word** Danger

· Hazard-determining

**components of labelling:** 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Polyamine-Addukt

2,4,6-tris(dimethylaminomethyl)phenol

Benzyl alcohol

(Contd. on page 2)





Printing date 01.04.2020 Version number 2 Revision: 01.04.2020

### Trade name BRAWO-HT (Komponente B)

(Contd. of page 1)

· Hazard statements H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Do not breathe dusts or mists. · Precautionary statements P260

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it

before reuse.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture consisting of the following components.

Dangerous components:		
CAS: 2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine	
EINECS: 220-666-8	Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
	Polyamine-Addukt	25-50%
	Eye Dam. 1, H318; Skin Irrit. 2, H315	
CAS: 90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	<10%
EINECS: 202-013-9 Reg.nr.: 2119560597-27	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 100-51-6	Benzyl alcohol	<5%
EINECS: 202-859-9	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	

· Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· General information Instantly remove any clothing soiled by the product.

> Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the

accident.

· After inhalation Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position

for transport.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

(Contd. on page 3)





Version number 2 Revision: 01.04.2020 Printing date 01.04.2020

#### Trade name BRAWO-HT (Komponente B)

(Contd. of page 2)

· After eye contact Call a doctor immediately. · After swallowing Instantly call for doctor.

Drink copious amounts of water and provide fresh air. Instantly call

for doctor.

· 4.2 Most important

symptoms and effects, both

acute and delayed

No further relevant information available.

No further relevant information available.

· 4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

## SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing

agents

· 5.2 Special hazards arising from the substance or

mixture

5.3 Advice for firefighters

· Protective equipment:

No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

· 6.2 Environmental precautions:

Wear protective equipment. Keep unprotected persons away.

Use fire fighting measures that suit the environment.

Inform respective authorities in case product reaches water or sewage system.

· 6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

Open and handle container with care.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling

Store in cool, dry place in tightly closed containers.

(Contd. on page 4)





Printing date 01.04.2020 Version number 2 Revision: 01.04.2020

#### Trade name BRAWO-HT (Komponente B)

(Contd. of page 3)

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

**storerooms and containers:** No special requirements.

Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· 8.1 Control parameters

· Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

· DNELs	6	
2855-1	3-2 3-ar	minomethyl-3,5,5-trimethylcyclohexylamine
Oral	DNE	EL   0.526 mg/kg bw/Tag (ArL)
Inhalati	ive DNE	EL   20.1 mg/m³ (ArL)
90-72-2	2 2,4,6-t	ris(dimethylaminomethyl)phenol
Inhalati	ive DNE	EL   0.31 mg/m³ (ArL)
100-51	-6 Benz	yl alcohol
Oral	DNE	EL   4 mg/kg bw/Tag (ArL)
		20 mg/kg bw/Tag (Ark)
Derma	I DNE	EL 8 mg/kg bw/day (ArL)
		40 mg/kg bw/day (Ark)
Inhalati	ive DNE	EL 22 mg/m³ (ArL)
		110 mg/m³ (Ark)
· PNECs	5	
2855-1	3-2 3-ar	minomethyl-3,5,5-trimethylcyclohexylamine
PNEC	IEC 0.006 mg/l (Mew)	
	0.06 mg	g/l (Suw)
PNEC	0.578 n	ng/kg dwt (Sediment)
	5.784 mg/kg dwt (Fresh water sediment)	
90-72-2	2 2,4,6-t	ris(dimethylaminomethyl)phenol
PNEC	0.2 mg/	/I (Sewage Treatment Plant)
	0.0084	mg/l (Mew)
		(Contd. on pa

(Contd. on page 5)





Printing date 01.04.2020 Version number 2 Revision: 01.04.2020

#### Trade name BRAWO-HT (Komponente B)

(Contd. of page 4)

100-51-6 Benzyl alcohol

PNEC 0.527 mg/l (Marine water sediment)

0.1 mg/l (Mew)

0.084 mg/l (Suw)

1 mg/l (Fresh water sediment)

PNEC 0.456 mg/kg dwt (Bod)

5.27 mg/kg dwt (Fresh water sediment)

• Additional information: The lists that were valid during the compilation were used as

basis.

· 8.2 Exposure controls

· Personal protective equipment

· General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to

the application.

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Tightly sealed safety glasses. Protective work clothing.

### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Body protection:

· Appearance:

Form: Fluid
Colour: Colourless
Smell: Amine-like

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 232 °C

· Flash point: >100 °C

(Contd. on page 6)





Printing date 01.04.2020 Version number 2 Revision: 01.04.2020

### Trade name BRAWO-HT (Komponente B)

	(Contd. of page 5
· Ignition temperature:	380 °C
· Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
· Steam pressure at 20 °C:	0.1 hPa
· Density at 20 °C	0.98 g/cm³
· Solubility in / Miscibility with Water: · 9.2 Other information	Not miscible or difficult to mix No further relevant information available.

## **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

**conditions to be avoided:** No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

10.6 Hazardous

decomposition products: No dangerous decomposition products known

## SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity		armful if swallowed.	
· LD/LC50 values that are relev		t for classification:	
2855-13-2	? 3-aminomethyl-3,5,5-ti	rimethylcyclohexylamine	
Oral	LD50	1,030 mg/kg (rat)	
	NOAEL	250 mg/kg (rat)	
Dermal	LD50	1,840 mg/kg (rabbit)	
		>2,000 mg/kg (rat)	
90-72-2 2,	4,6-tris(dimethylamino	methyl)phenol	
Oral	LD50	2,169 mg/kg (rat)	
	NOAEL	15 mg/kg (rat)	
100-51-6	100-51-6 Benzyl alcohol		
Oral	LD50	1,230 mg/kg (rat)	
	NOAEL 2nd year study	200 mg/kg (mouse)	
		200 mg/kg (rat)	
Dermal	LD50	2,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>4,178 mg/l (rat)	

(Contd. on page 7)





Printing date 01.04.2020 Version number 2 Revision: 01.04.2020

### Trade name BRAWO-HT (Komponente B)

(Contd. of page 6)

· Primary irritant effect:

· **Skin corrosion/irritation** Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

**sensitisation** May cause an allergic skin reaction.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

· Aquatic toxicity:
2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

LC50/96h 110 mg/l (Leucidus idus)

EC50 1,120 mg/l (Pseudomonas putida)

EC50/48h 23 mg/l (Daphnia magna)

NOEC 1.5 mg/l (Desmodesmus subspicatus)

3 mg/l (Daphnia magna)

ErC50/72h >50 mg/l (Desmodesmus subspicatus)

#### 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

EC50/72h 84 mg/l (Desmodesmus subspicatus)

LC50/96h | 175 mg/l (Cyp) NOEC | 2 mg/l (BEL)

6.25 mg/l (Desmodesmus subspicatus)

#### 100-51-6 Benzyl alcohol

IC50/72h 700 mg/l (algae)

LC50/96h 460 mg/l (Pimephales promelas)

10 mg/l (Lepomis macrochirus)

· 12.2 Persistence and

**degradability** No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

· Ecotoxical effects:

· Remark: Toxic for fish

· Additional ecological information:

· General notes: Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

(Contd. on page 8)





Printing date 01.04.2020 Version number 2 Revision: 01.04.2020

#### Trade name BRAWO-HT (Komponente B)

(Contd. of page 7)

Do not allow product to reach ground water, water bodies or

sewage system.

Danger to drinking water if even small quantities leak into soil.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Waste disposal key number: 55352

Bez.: aliphatische Amine Entsorgungshinweise: Sonderabfallverbrennung

	· European waste catalogue			
		WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS		
08 01 00 wastes from MFSU and removal of paint and varnish		wastes from MFSU and removal of paint and varnish		
Ī	08 01 11	waste paint and varnish containing organic solvents or other dangerous substances		

· Uncleaned packagings:

Dispose of packaging according to regulations on the disposal of · Recommendation:

packagings.

Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

14.1 UN-Number	
ADR, IMDG, IATA	UN2735
14.2 UN proper shipping name	
ADR	2735 AMINES, LIQUID, CORROSIVE, N.O. (ISOPHORONEDIAMINE, 2,4,6-tris(dimethy aminomethyl)phenol)
IMDG, IATA	AMINES, LIQUID, CORROSIVE, N.O.S (ISOPHORONEDIAMINE, 2,4,6-tris(dimethy aminomethyl)phenol)
14.3 Transport hazard class(es)	
ADR	
Class	8 (C7) Corrosive substances.
· Label	8 ′





Printing date 01.04.2020 Version number 2 Revision: 01.04.2020

Trade name BRAWO-HT (Komponente B)

	(Contd. of page
IMDG, IATA Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	no No
14.6 Special precautions for user Kemler Number: EMS Number: Segregation groups Stowage Category Segregation Code	Warning: Corrosive substances. 80 F-A,S-B Alkalis A SG35 Stow "separated from" SGG1-acids
14.7 Transport in bulk according to An of Marpol and the IBC Code	nnex II Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml
Transport category Tunnel restriction code	3 <i>E</i>
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 mi Maximum net quantity per outer packaging: 100 ml
UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S (ISOPHORONEDIAMINE, 2,4,6 TRIS(DIMETHYLAMINOMETHYL)PHENOL), 8,

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · REGULATION (EC) No

1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 10)





Printing date 01.04.2020 Version number 2 Revision: 01.04.2020

Trade name BRAWO-HT (Komponente B)

(Contd. of page 9)

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

· Relevant phrases H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Department issuing data

**specification sheet:** Environment protection department.

· Contact: Mr. Hemming

· Abbreviations and acronyms: RID: Reglement international concernant le transport des marchandises dangereuses

par chemin de fer (Regulations Concerning the International Transport of Dangerous

Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by

Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard

- Category 3

\* Data compared to the previous version altered.