



Printing date 01.04.2020 Version number 3 Revision: 01.04.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name BRAWO RR (Komponente A)

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Epoxy sealing

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: KOB GmbH

BRAWOLINER - Sanierungssysteme

Lauterstraße 50 D-67752 Wolfstein

Germany

Tel: +49(0)631-205 61 100 Fax: +49(0)631-205 61 101

· Informing department: Technische Abteilung

msds@brawoliner.de

· 1.4 Emergency telephone

+49 (0) 61 31 - 19 240 (Giftnotruf Mainz) number:

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to Regulation (EC) No

1272/2008

The product is classified and labelled according to the CLP

regulation.

Hazard pictograms





GHS07

· Signal word Warning

· Hazard-determining

Propyl -2,2-diphenyl-4,4'dipropyloxirane polymers and components of labelling:

homologues molecular weight < 700

2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane

polymers and homologues, molecular weight < 700

1,6-hexene-diglycidylether methyl toluenesulphonate

(Contd. on page 2)





Printing date 01.04.2020 Version number 3 Revision: 01.04.2020

Trade name BRAWO RR (Komponente A)

(Contd. of page 1)

· Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical

advice/attention.

P337+P313 If eye irritation persists: Get medical advice/

attention.

· Additional information: To avoid risks to human health and the environment, comply with

the instructions for use.

Contains epoxy constituents. May produce an allergic reaction.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture consisting of the following components.

· Dangerous compoi	nents:	
CAS: 25068-38-6 NLP: 500-033-5	Propyl -2,2-diphenyl-4,4'dipropyloxirane polymers and homologues molecular weight < 700 Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	70-100%
CAS: 9003-36-5 NLP: 500-006-8	2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700	≥10-<25%
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 16096-31-4 EINECS: 240-260-4	1,6-hexene-diglycidylether Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	≥2.5-<10%
CAS: 100-51-6 Benzyl alcohol EINECS: 202-859-9 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H3		<5%
CAS: 28804-47-9 EINECS: 249-237-3	methyl toluenesulphonate Acute Tox. 3, H311; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	≥0.1-<1%

· Additional information For the wording of the listed hazard phrases refer to section 16.





Version number 3 Revision: 01.04.2020 Printing date 01.04.2020

Trade name BRAWO RR (Komponente A)

(Contd. of page 2)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

After inhalation Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position

for transport.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

Instantly rinse with water.

· After eye contact Seek medical treatment.

Rinse opened eye for several minutes under running water. If

symptoms persist, consult doctor.

· After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· 4.2 Most important

symptoms and effects, both

No further relevant information available. acute and delayed

· 4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

· 5.2 Special hazards arising

from the substance or

mixture

No further relevant information available.

Use fire fighting measures that suit the environment.

5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental

precautions:

Not required.

Inform respective authorities in case product reaches water or

sewage system.

· 6.3 Methods and material for containment and cleaning

Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Ensure adequate ventilation.

· 6.4 Reference to other

sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 4)





Printing date 01.04.2020 Version number 3 Revision: 01.04.2020

Trade name BRAWO RR (Komponente A)

(Contd. of page 3)

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Store in cool, dry place in tightly closed containers.

Open and handle container with care.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

·Storage

Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· 8.1 Control parameters · Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

23000-30-		yl -2,2-diphenyl-4,4'dipropyloxirane polymers and homologues molecula ht < 700
Oral	DNEL	0.75 mg/kg bw/Tag (General) (Kurzfristig und Langfristig Systemisch)
Dermal	DNEL	3.6 mg/kg bw/day (General) (Kurzfristig und Langfristig Systemisch)
		8.3 mg/kg bw/day (Workers) (Kurzfristig und Langfristig Systemisch)
Inhalative	DNEL	0.75 mg/m³ (General) (Kurzfristig und Langfristig Systemisch)
		12.3 mg/m³ (Workers) (Kurzfristig und Langfristig Systemisch)
16096-31-	4 1,6-h	exene-diglycidylether
Dermal	DNEL	2.8 mg/kg bw/day (ArL)
Inhalative	DNEL	4.9 mg/m³ (ArL)
100-51-6 I	Benzyl	alcohol
Oral	DNEL	4 mg/kg bw/Tag (ArL)
		20 mg/kg bw/Tag (Ark)
Dermal	DNEL	8 mg/kg bw/day (ArL)
		40 mg/kg bw/day (Ark)





Printing date 01.04.2020 Version number 3 Revision: 01.04.2020

Trade name BRAWO RR (Komponente A)

Inhalati	ve DNEL	22 mg/m³ (ArL) (Contd. of pa	
		110 mg/m³ (Ark)	
PNECs	;		
25068-		yl -2,2-diphenyl-4,4'dipropyloxirane polymers and homologues molecu ht < 700	
PNEC	3 μg/l (Fre	esh water)	
	0.3 μg/l (l	Marine)	
PNEC	10 mg/l (Sewage Treatment Plant)		
		g dwt (Marine water sediment)	
	0.05 mg/k	kg dwt (Sediment)	
	0.5 mg/kg	g dwt (Fresh water sediment)	
16096-	31-4 1,6-h	exene-diglycidylether	
PNEC	0.0115 mg/l (Fresh water)		
	0.00115 r	ng/l (Mew)	
PNEC	0.223 mg	/kg dwt (Bod)	
	0.0283 m	g/kg dwt (Sediment)	
	0.283 mg	/kg dwt (Fresh water sediment)	
100-51	-6 Benzyl	alcohol	
PNEC	0.527 mg	/I (Marine water sediment)	
	0.1 mg/l (Mew)		
	1 mg/l (Fresh water sediment)		
PNEC	0.456 mg	/kg dwt (Bod)	
	5 27 ma/k	kg dwt (Fresh water sediment)	

basis.

· 8.2 Exposure controls

Personal protective equipment

· General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

Nitrile rubber, NBR · Material of gloves

Recommended thickness of the material: ≥ 0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to

the application.

(Contd. on page 6)





Revision: 01.04.2020 Printing date 01.04.2020 Version number 3

Trade name BRAWO RR (Komponente A)

(Contd. of page 5)

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Tightly sealed safety glasses.

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid Colour: Green · Smell: Characteristic

· Change in condition

· Self-inflammability:

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 200 °C

141 °C · Flash point:

· Ignition temperature: 184 °C

Product is not explosive. Explosive properties:

0.1 hPa · Steam pressure at 20 °C:

· Density at 20 °C 1.15 g/cm³

· Solubility in / Miscibility with

Not miscible or difficult to mix Water:

· 9.2 Other information No further relevant information available.

Product is not selfigniting.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

· 10.4 Conditions to avoid No further relevant information available. No further relevant information available. · 10.5 Incompatible materials:

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known





Printing date 01.04.2020 Version number 3 Revision: 01.04.2020

Trade name BRAWO RR (Komponente A)

(Contd. of page 6)

	mation on toxicologica		
Acute tox		ased on available data, the classification criteria are not met.	
	values that are relevant		
25068-38-	·6 Propyl -2,2-diphenyl weight < 700	-4,4'dipropyloxirane polymers and homologues molecula	
Oral	LD50	30,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbit)	
9003-36-5	2,2'-[methylenebis(µ	o-phenyleneoxymethylene)]bisoxirane polymers and	
	homologues, molecul	ar weight < 700	
Oral	LD50	>2,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbit)	
16096-31-	4 1,6-hexene-diglycidy	lether	
Oral	LD50	>8,500 mg/kg (rat)	
Dermal	LD50	>4,900 mg/kg (rat)	
100-51-6	Benzyl alcohol		
Oral	LD50	1,230 mg/kg (rat)	
	NOAEL 2nd year study	200 mg/kg (mouse)	
		200 mg/kg (rat)	
Dermal	LD50	2,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>4,178 mg/l (rat)	
28804-47-	9 methyl toluenesulph	onate	
Oral	LD50	615 mg/kg (rat)	
Dermal	LD50	400 mg/kg (rabbit)	

· Primary irritant effect:

Skin corrosion/irritation
Causes skin irritation.
Serious eye damage/irritation
Causes serious eye irritation.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT-single exposure
STOT-repeated exposure
Aspiration hazard
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

(Contd. on page 8)





Printing date 01.04.2020 Version number 3 Revision: 01.04.2020

Trade name BRAWO RR (Komponente A)

(Contd. of page 7)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700

LC50/96h >100 mg/l (Daphnia magna) EC50/96h >100 mg/l (Leucidus idus)

16096-31-4 1,6-hexene-diglycidylether LC50/96h | 30 mg/l (Leucidus idus)

EC50/48h 47 mg/l (Daphnia magna)

100-51-6 Benzyl alcohol

IC50/72h | 700 mg/l (algae)

LC50/96h 460 mg/l (Pimephales promelas) 10 mg/l (Lepomis macrochirus)

· 12.2 Persistence and

No further relevant information available. degradability

· 12.3 Bioaccumulative

potential No further relevant information available. 12.4 Mobility in soil No further relevant information available.

· Ecotoxical effects:

Toxic for fish · Remark:

Additional ecological information:

· General notes: Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Do not allow product to reach ground water, water bodies or

sewage system.

Danger to drinking water if even small quantities leak into soil.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· European waste catalogue

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 01 00 wastes from MFSU and removal of paint and varnish

08 01 11 waste paint and varnish containing organic solvents or other dangerous substances

(Contd. on page 9)





Printing date 01.04.2020 Version number 3 Revision: 01.04.2020

Trade name BRAWO RR (Komponente A)

(Contd. of page 8)

· Uncleaned packagings:

• Recommendation: Dispose of packaging according to regulations on the disposal of

packagings.

Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

14.1 UN-Number ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name ADR	3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (epoxio derivates)
IMDG	ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (epoxio derivates), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (epoxio derivates)
14.3 Transport hazard class(es)	
ADR	
Class	9 (M6) Miscellaneous dangerous substances an articles.
Label	9
IMDG, IATA Class	9 Miscellaneous dangerous substances ar articles.
Label	9
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	Yes
• • • • • • • • • • • • • • • • • • • •	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substance and articles.
Kemler Number:	90
EMS Number:	F-A,S-F
Stowage Category	\boldsymbol{A}





Printing date 01.04.2020 Version number 3 Revision: 01.04.2020

Trade name BRAWO RR (Komponente A)

(Contd. of page 9)

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000

m

· Transport category 3 · Tunnel restriction code E

·IMDG

· Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000

ml

· UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. (EPOXIDE

DERIVATES), 9, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Qualifying quantity (tonnes) for the application of lower-

tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-

tier requirements

REGULATION (EC) No

1907/2006 ANNEX XVII

· 15.2 Chemical safety

assessment:

500 t

Conditions of restriction: 3

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases H302 Harmful if swallowed.

H311 Toxic in contact with skin. H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 11)





Printing date 01.04.2020 Version number 3 Revision: 01.04.2020

Trade name BRAWO RR (Komponente A)

(Contd. of page 10)

H412 Harmful to aquatic life with long lasting effects.

· Department issuing data

specification sheet: Environment protection department.

· Contact: Mr. Hemming

- **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous

Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by

Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral – Category 4 Acute Tox. 3: Acute toxicity - dermal – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard

Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard

Category 3

* Data compared to the previous version altered.

GE